

Gulf of Mexico Historical Commercial Landings and Annual Catch Limits (ACLs)

This page was updated on 6/6/2018

All 2017 landings reported on this page are considered preliminary. ACTs and ACLs were defined in 2012. After 2012, the quota is equal to the ACT.

This page provides only a summary of the information regarding the existing regulations. Any discrepancies between this information and the regulations as published in the *Federal Register* will be resolved in favor of the *Federal Register*.

There are no seasonal closures unless otherwise noted. For a list of current seasonal closures, see the [Gulf of Mexico Seasons and Closures page](#).

Goliath Grouper and Nassau Grouper are closed to harvest.

Definitions:

ACL = Annual Catch Limit

ww = whole weight; gw = gutted weight

NA = not applicable

Species and species groups are listed below in alphabetical order.

Cobia*											
Year	Fishing Year	Total Reported	Units	ACT	ACT %	ACL	ACL %	Closure Date	Data Source		
2016	Jan 1 - Dec 31	74,608	as reported	1,500,000	5.0	1,660,000	4.5		ACL_FILES_100517		
2015		70,314		1,450,000	4.8	1,610,000	4.4				
2014		78,481		1,310,000	6.0	1,460,000	5.4				
2013		82,531		1,310,000	6.3	1,460,000	5.7				
2012		51,911		1,310,000	4.0	1,460,000	3.6				
2011		69,168									
2010		82,361									
2009		62,239									
2008		68,723									
2007		73,208									
2006		81,948									
2005		87,582				NA	NA	NA		NA	NA
2004		101,181									
2003		111,636									
2002		105,320									
2001		92,365									
2000		129,890									

*Cobia has a stock ACL, meaning both commercial and recreational landings contribute towards total landings. See historical stock for commercial and recreational landings.

Cobia East Florida*									
Year	Fishing Year	Total Reported	Units	ACT	ACT %	ACL	ACL %	Closure Date	Data Source
2016	Jan 1 - Dec 31	74,608	as reported	70,000	106.6	NA	NA		ACL_FILES_100517
2015		70,314		70,000	100.4				

*The Florida East Coast Zone (east coast of Florida and Atlantic side of the Florida Keys) adjusts for differences between the South Atlantic Fishery Management Council and Gulf of Mexico Fishery Management Council jurisdiction and the biological distribution of the stock, and has it's own quota.

Deep Water Grouper*										
Deep Water Grouper: Warsaw grouper, snowy grouper, speckled hind, and yellowedge grouper										
Year	Fishing Year	Total Reported*	Units	ACT	ACT %	ACL	ACL %	Closure Date	Data Source	
2016	Jan 1 - Dec 31	889,965	gw	1,024,000	86.9	1,070,000	83.2		IFQ	
2015		955,250		1,101,000	86.8	1,150,000	83.1			
2014		1,081,145		1,110,000	97.4	1,160,000	93.2			
2013		920,034		1,118,000	82.3	1,170,000	78.6			
2012		966,100		1,127,000	85.7	1,170,000	82.6			
2011		778,728		1,020,000	76.3					
2010		606,223		1,020,000	59.4					
2009		1,126,175		1,020,000	110.4					6/27/09
2008		1,108,558		1,020,000	108.7	NA	NA			5/10/08
2007		1,157,110		1,020,000	113.4					6/2/07
2006		1,072,635		1,020,000	105.2					6/23/06
2005		1,140,637		1,020,000	111.8					6/23/05
2004		1,249,653		1,020,000	122.5					7/15/04

*Deep water grouper have a stock ACL, meaning both commercial and recreational landings contribute towards total landings.

Gag Grouper									
Year	Fishing Year	Total Reported*	Units	ACT	ACT %	ACL	ACL %	Closure Date	Data Source
2016	Jan 1 - Dec 31	910,996	gw	939,000	97.0	1,217,000	74.9		IFQ
2015		542,774		939,000	57.8	1,217,000	44.6		
2014		586,377		835,000	70.2	1,100,000	53.3		
2013		575,335		708,000	81.3	956,000	60.2		
2012		523,138		567,000	92.3	788,000	66.4		
2011		318,663		430,000	74.1				
2010		496,826		1,410,000	35.2	NA	NA		
2009*		715,814		1,320,000	54.2				

*Prior to 2009, Gag grouper was part of the shallow water grouper complex.

Gray Triggerfish									
Year	Fishing Year	Total Reported	Units	ACT	ACT %	ACL	ACL %	Closure Date	Data Source
2016	Jan 1- Dec 31	61,122	ww	60,900	100.4	64,100	95.4		ACL_FILES_100517
2015		49,201		60,900	80.8	64,100	76.8		
2014		42,630		60,900	70.0	64,100	66.5		
2013		63,086		54,802	115.1	54,802	115.1		
2012		72,778		51,290	141.9	64,100	113.5	7/1/12	
2011		105,251		106,000	99.3	NA	NA		
2010		55,661		106,000	52.5				
2009		78,117		93,000	84.0				
2008		76,734		80,000	95.9				

Greater Amberjack									
Year	Fishing Year	Total Reported	Units	ACT	ACT %	ACL	ACL %	Closure Date	Data Source
2016	Jun 1- Jul 31	437,390	ww	394,740	110.8	464,400	94.2	7/17/16	ACL_FILES_100517
2015		459,532		409,000	112.4	481,000	95.5	7/19/15	
2014		486,679		409,000	119.0	481,000	101.2	8/25/14	
2013		457,879		338,157	135.4	410,157	111.6	7/1/13	
2012		308,334		237,438	129.9	237,438	129.9	3/1/12	
2011		508,871		342,091	148.8	NA	NA	6/18/11	
2010		534,095		373,072	143.2			10/28/10	
2009		601,446		503,000	119.6			11/7/09	
2008		440,988		503,000	87.7				

King Mackerel										
Zone	Year	Fishing Year	Total Reported	Units	Quota	Quota %	ACL	ACL %	Closure Date	Data Source
Western Zone	2016-2017*	July 1 - June 30	1,159,210	as reported	1,180,000	98.2	2,330,500	97.3	10/14/2016; Reopened: 5/11/17 closed: 5/22/17	SEFSC- Inseason Monitoring
FL Florida West Coast Northern Subzone		October 1 - September 30	473,282		531,000	89.1			11/10/2016; Reopened 5/11/17	
FL West Coast Southern Subzone (Hook and Line)		July 1 - June 30	634,789		619,500	102.5			2/25/2017	
Western Zone	2015-2016	July 1 - June 30	1,134,624		1,071,360	105.9	2,904,552	103.9	11/17/2015	
FL East Coast Subzone*		November 1 - March 31	1,061,842		1,102,896	96.3				
FL Florida West Coast Northern Subzone		October 1 - September 30	177,909		178,848	99.5			11/28/2015	
FL West Coast Southern Subzone (Hook and Line)		July 1 - June 30	643,673		551,448	116.7			3/27/2016	
Western Zone	2014-2015	July 1 - June 30	1,039,977		1,071,360	97.1	2,904,522	104.9	10/17/2014	
FL East Coast Subzone*		November 1 - March 31	1,113,791		1,102,896	101.0				
FL Florida West Coast Northern Subzone		July 1 - June 30	229,613		178,848	128.4			10/27/2014	
FL West Coast Southern Subzone (Hook and Line)		July 1 - June 30	663,467		551,448	120.3			2/5/2015	
Western Zone	2013-2014	July 1 - June 30	934,646	1,071,360	87.2	2,904,522	83.8	9/20/2013		
FL East Coast Subzone*		November 1 - March 31	635,747	1,102,896	57.6					
FL Florida West Coast Northern Subzone		July 1 - June 30	255,747	178,848	143.0			10/12/2013		
FL West Coast Southern Subzone (Hook and Line)		July 1 - June 30	608,053	551,448	110.3			2/21/2014		
Western Zone	2012-2013	July 1 - June 30	1,163,731	1,180,480	98.6	3,200,386	94.9	8/22/2012	ALS Data as of January 2015	
FL East Coast Subzone*		November 1 - March 21	840,015	1,215,228	69.1					
FL Florida West Coast Northern Subzone		July 1 - June 30	330,989	197,064	168.0			10/5/2012		
FL West Coast Southern Subzone (Hook and Line)		July 1 - June 30	703,067	607,614	115.7					

*As of May 11, 2017, the King Mackerel fishery zone were redefined, and the Florida east coast subzone was removed. As such, the quota previously associated with the Florida east coast subzone was distributed to the other remaining zones.

King Mackerel										
Zone	Year	Fishing Year	Total Reported	Units	Quota	Quota %	ACL	ACL %	Closure Date	Data Source
Eastern Zone - FL West Coast Southern Subzone (Gillnet)	2016 -2017	July 1* - June 30	537,733	as reported	619,500	86.8	NA	NA	2/10/2017; Reopened 5/11/17	SEFSC- Inseason Monitoring ACL_FILES_100 517
	2015-2016		531,876		551,448	96.45			3/11/2016	
	2014-2015		532,614		551,448	96.58			2/20/2015	
	2013-2014		620,825		551,448	112.58			1/29/2014	
	2012-2013		500,426		607,614	82.36				

*Actual opening date is the Tuesday after MLK Day.

Red Grouper										
Year	Fishing Year	Total Reported	Units	ACT	ACT %	ACL	ACL %	Closure Date	Data Source	
2016	Jan 1 - Dec 31	4,497,582	gw	7,780,000	57.8	8,190,000	54.9		IFQ	
2015		4,798,007		5,720,000	83.9	6,030,000	79.6			
2014		5,601,905		5,630,000	99.5	6,030,000	92.9			
2013		4,599,001		5,530,000	83.2	6,030,000	76.3			
2012		5,219,133		5,370,000	97.2	6,030,000	86.6			
2011		4,783,668		5,230,000	91.5	NA	NA		ACL_FILES_100517	
2010		2,910,970		5,750,000	50.6					
2009		3,698,227		5,750,000	64.3					
2008		4,748,224		5,310,000	89.4					
2007		3,650,858		5,310,000	68.8					
2006		5,110,366		5,310,000	96.2					
2005		5,380,603		5,310,000	101.3			10/10/2005		
2004		5,635,478		5,310,000	106.1			11/15/2004		

Red Snapper										
Year	Fishing Year	Total Reported	Units	ACT	ACT %	ACL	ACL %	Closure Date	Data Source	
2016	Jan 1 - Dec 31	6,723,822	ww	6,768,000	99.3	6,768,000	99.3		IFQ	
2015		7,184,209		7,293,000	98.5	7,293,000	98.5			
2014		5,567,822		5,610,000	99.2	5,610,000	99.2			
2013		5,448,543		5,610,000	97.1	5,610,000	97.1			
2012		4,036,398		4,121,000	97.9	4,121,000	97.9			
2011		3,594,551		3,664,000	98.1	NA	NA		ACL_FILES_100517	
2010		3,392,208		3,542,000	95.8					
2009		2,483,565		2,550,000	97.4					
2008		2,483,602		2,550,000	97.4					
2007		3,182,730		3,315,000	96.0					

Shallow Water Grouper*										
Shallow Water Grouper: Black grouper, scamp, yellowmouth grouper, and yellowfin grouper										
Year	Fishing Year	Total Reported	Units	ACT	ACT %	ACL	ACL %	Closure Date	Data Source	
2016	Jan 1 - Dec 31	335,238	gw	525,000	63.9	547,000	61.3		IFQ	
2015		238,427		525,000	45.4	547,000	43.6			
2014		230,248		523,000	44.0	545,000	42.2			
2013		300,735		518,000	58.1	540,000	55.7			
2012		298,102		509,000	58.6	531,000	56.1			
2011		187,026		410,000	45.6	NA	NA		ACL_FILES_100517	
2010		176,773		410,000	43.1					
2009		4,701,806		7,480,000	62.9					
2008		6,355,425		8,800,000	72.2					
2007		5,210,701		8,800,000	59.2					
2006		6,749,318		8,800,000	76.7					
2005		8,180,353		8,800,000	93.0			10/10/2005		
2004		8,877,943		8,800,000	100.9			11/15/2004		

*Shallow water grouper have a stock ACL, meaning both commercial and recreational landings contribute towards total landings. During 2004-2009, the SWG quota was comprised of gag, red grouper, yellowmouth grouper, yellowfin grouper, red hind, rock hind, black grouper, and scamp. Beginning in 2010, gag and red grouper were removed.

Spanish Mackerel*							
Year	Fishing Year	Total Reported	Units	ACT	ACT %	Closure Date	Data Source
2013 - 2014	Apr 1 - Mar 31	1,464,381	as reported	5,150,000	28.4		ACL_FILES_100517
2012 - 2013		1,413,904		5,150,000	27.5		
2011 - 2012		1,347,945		5,187,000	26.0		
2010 - 2011		1,248,711		5,187,000	24.1		
2009 - 2010		942,501		5,187,000	18.2		
2008 - 2009		2,360,043		5,187,000	45.5		
2007 - 2008		902,827		5,187,000	17.4		
2006 - 2007		1,534,040		5,187,000	29.6		
2005 - 2006		1,221,294		5,187,000	23.5		
2004 - 2005		1,986,512		5,187,000	38.3		
2003 - 2004		941,702		5,187,000	18.2		
2002 - 2003		1,745,064		5,187,000	33.6		
2001 - 2002		810,099		5,187,000	15.6		
2000 - 2001		1,054,259		5,187,000	20.3		

*Beginning in 2014, Spanish Mackerel has a stock ACL, meaning both commercial and recreational landings contribute towards total landings. Please see the Stock ACL pages for additional information.

Tilefish									
Tilefish: Golden tilefish, goldface tilefish, and blueline tilefish									
Year	Fishing Year	Total Reported	Units	ACT	ACT %	ACL	ACL %	Closure Date	Data Source
2016	Jan 1 - Dec 31	429,003	gw	582,000	73.7	606,000	70.8		IFQ
2015		537,512		582,000	92.4	606,000	88.7		
2014		517,268		582,000	88.9	606,000	85.4		
2013		440,091		582,000	75.6	606,000	72.6		
2012		451,121		582,000	77.5	606,000	74.4		
2011		386,134		440,000	87.8	NA	NA		
2010		249,708		440,000	56.8				
2009		550,667		440,000	125.2			5/15/09	ACL_FILES_100517
2008		499,499		440,000	113.5			5/10/08	
2007		422,181		440,000	96.0			4/18/07	
2006		423,910		440,000	96.3			7/22/06	
2005		628,531		440,000	142.8			11/21/2005	
2004		606,845		440,000	137.9				

*Tilefish has a stock ACL, meaning both commercial and recreational landings contribute towards total landings. In 2012, anchor and blackline tilefish were removed.