South Atlantic Historical Recreational Landings and Annual Catch Limits

This page was updated on 7/16/2018

All 2017 landings reported on this page are considered premilinary.

This page provides only a summary of the information regarding the existing regulations. Any discrepancies between this information and the regulations as published in the *Federal Register* will be resolved in favor of the *Federal Register*.

There are no seasonal closures unless otherwise noted. For a list of current seasonal closures, see the South Atlantic Seasonal Closures page.

Goliath Grouper, Nassau Grouper, Speckled Hind, and Warsaw Grouper are closed to harvest.

Definitions:

ACL = Annual Catch Limit

ww = whole weight; gw = gutted weight

NA = not applicable

Species and species groups are listed below in alphabetical order.

	Atlantic Spadefish										
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016		27,591		661,926	4.2		MRIP				
2015		225,861		661,926	34.1		MRIP				
2014	Jan 1 - Dec 31	702,011	ww	154,352	454.8		MRIP				
2013		53,878		154,352	34.9		MRIP				
2012		187,106]	246,365	75.9		MRFSS				

	Bar Jack										
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016		2,005		49,021	4.1		MRIP				
2015		4,612		49,021	9.4		MRIP				
2014	Jan 1 - Dec 31	1,979	ww	19,515	10.1		MRIP				
2013		2,209		19,515	11.3		MRIP				
2012		2,559		13,834	18.5		MRFSS				

Black Grouper											
Year	Fishing Year	Seasonal Closure	Total Landings	Units	ACL	ACL %	Closure Date	Data Source			
2016			116,547		165,750	70.3		MRFSS			
2015			128,557		165,750	77.6		MRFSS			
2014	Jan 1 - Dec 31	Jan 1 - Apr 30	57,031	ww	165,750	34.4		MRFSS			
2013			99,096		161,859	61.2		MRFSS			
2012	1		147,446		155,020	95.1		MRFSS			
*Black groups	Black grouper was managed as a part of the Black, Gag, and Red Grouper Aggedate during 2011, and 2010										

*Black grouper was managed as a part of the Black, Gag, and Red Grouper Aggegate during 2011 and 2010

	Black, Gag, and Red Grouper Aggregate										
Year	Year Fishing Year Total Landings Units ACL ACL % Closure Date Data Source										
2011	Jan 1 - Dec 31	308,215	GW/	648,663	47.5		MRFSS				
2010	2010 Jan 1 - Dec 31 293,564 gw 648,663 45.3 MRFSS										
*In 2012, these species were removed from an aggegate ACL and are managed under a species-specific ACL.											

Black Sea Bass											
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016 - 2017	Apr 1 - Mar 31	329,455		1,001,177	32.9		MRIP				
2015 - 2016	Apr 1 - Iviai 31	377,239	ww	1,033,980	36.5		MRIP				
2014 - 2015		406,826	VVVV	1,033,980	39.3		MRIP				
2013 - 2014		585,357		1,033,980	56.6		MRIP				
2012 - 2013	Jun 1 - May 31*	428,786		409,000	104.8		MRFSS				
2011 - 2012		491,677	gw	341,747	143.9	10/17/11	MRFSS				
2010 - 2011		485,663		409,000	118.7	2/11/11	MRFSS				
*The 2014-2015 fishing year only includes landings through March 31.											

	Blueline Tilefish										
Year	Fishing Year	Seasonal Closure	Total Landings	Units	ACL	ACL %	Closure Date	Data Source			
2016			172,286		87,277	197.4		MRIP			
2015	Jan 1 - Dec 31	Sept 1 - Apr 30	45,323	WW	17,791	254.8	6/10/15	MRIP			
2014			95,712		111,893	85.5		MRIP			
*Prior to 2014	Prior to 2014, blueline tilefish was managed as part of the deepwater complex.										

Cobia (NY to GA)										
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source			
2016	Jan 1 - Dec 31	1,336,531	as reported	620,000	215.6	6/20/16	MRIP			
2015	Jan 1 - Dec 31	1.565.186	as reported	630.000	248.4		MRIP			

	Cobia										
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2014		1,179,031		1,445,687	81.6		MRFSS				
2013	Jan 1 - Dec 31	1,142,947	ww	1,445,687	79.1		MRFSS				
2012	2012 1,058,582 1,445,687 73.2 MRFSS										
*Beginning in	*Beginning in 2015, cobia is now managed by regional ACLs for NY to GA (table above) and East Coast FL (Gulf Recreational Pages).										

Deepwater Complex Deepwater Complex: Yellowedge grouper, blueline tilefish, silk snapper, misty grouper, queen snapper, sand tilefish, blackfin snapper											
Year Fishing Year Total Landings Units ACL ACL % Closure Date Data Source											
2016*		17,494		38,628	45.3		MRIP				
2015		16,271		38,644	42.1		MRIP				
2014**	Jan 1 - Dec 31	14,489	ww	19,313	75.0		MRIP				
2013		325,129		334,556	97.2		MRIP				
2012		107,849		332,039	32.5		MRFSS				
Black snapper	was removed from the complex begin	ning June 22, 2016.					•				
*Blueline tilefis	sh was removed from the complex begi	nning January 1, 201	4 and is now	/ managed un	der a species	s-specific ACL.					

	Dolphin										
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016		6,301,326		13,810,361	45.6		MRIP				
2015	Jan 1 - Dec 31	7,586,553		14,187,845	53.5		MRIP				
2014		5,227,644	ww	14,187,845	36.8		MRIP				
2013		5,136,067		13,530,692	38.0		MRFSS				
2012		6 108 460		13 530 692	45 1	_	MRESS				

	Gag										
Year	Fishing Year	Seasonal Closure	Total Landings	Units	ACL	ACL %	Closure Date	Data Source			
2016			151,456		312,351	48.5		MRIP			
2015			58,348		310,023	18.8		MRIP			
2014			169,447		340,060	49.8		MRFSS			
2013	Jan 1 - Dec 31	Jan 1 - Apr 30	78,472	gw	340,060	23.1		MRFSS			
2012			177,097		340,060	52.1		MRFSS			
2011			169,854		340,060	49.9		MRFSS			
2010			171.841		340.060	50.5		MRFSS			

	Golden Tilefish											
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source					
2016		13,010		3,019	430.9	8/27/16	MRFSS					
2015		3,595		3,019	119.1	8/11/15	MRFSS					
2014	1	1,357	number of	3,019	44.9	6/7/14	MRFSS					
2013	Jan 1 - Dec 31	4,143	fish	3,019	137.2	6/3/13	MRFSS					
2012		3,627	11511	3,019	120.1		MRFSS					
2011		9,863		1,578	625.0	10/6/11	MRFSS					
2010		4,383		1,578	277.8		MRFSS					

	Gray Triggerfish										
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016		393,302		404,675	97.2		MRIP				
2015		354,237		404,675	87.5		MRIP				
2014	Jan 1 - Dec 31	431,516	ww	353,638	122.0		MRIP				
2013		373,983		353,638	105.8		MRIP				
2012		383,466		367,303	104.4		MRFSS				

Greater Amberjack											
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016 - 2017	Mar 1 - Feb 28/29	1,226,054		1,167,837	105.0	11/30/16	MRFSS				
2015 - 2016	Mai 1 - Feb 20/29	1,207,355		1,167,837	103.4		MRFSS				
2014 - 2015		865,799	ww	1,167,837	74.1		MRFSS				
2013 - 2014	May 1 - Apr 30*	811,879		1,167,837	69.5		MRFSS				
2012 - 2013 1,410,340 1,167,837 120.8 MRFSS											
*The 2014-2015 f	The 2014-2015 fishing year only included landings through Feb 28, 2015.										

	Grunts									
	Grunts: White grunt, margate, sailor's choice, tomtate									
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source			
2016		420,847		618,122	68.1		MRIP			
2015		282,552		618,122	45.7		MRIP			
2014	Jan 1 - Dec 31	354,543	ww	588,113	60.3		MRIP			
2013		359,382		588,113	61.1		MRIP			
2012		408,318		562,151	72.6		MRFSS			

	Hogfish										
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016		119,388		85,355	139.9	11/30/16	MRIP				
2015]	291,765		85,355	341.8	8/24/15	MRIP				
2014	Jan 1 - Dec 31	111,803	WW	85,355	131.0		MRIP				
2013		65,085		85,355	76.3		MRIP				
2012	2012 103,610 98,866 104.8 MRFSS										
*Starting in 20	Starting in 2017, Hogfish are managed with regional annual catch limits for Florida Keys through East Florida and New York through Georgia.										

	Jacks Jacks: Almaco jack, banded rudderfish, lesser amberjack											
Year												
2016		247,571		267,799	92.4	8/9/16; Reopened 12/2/16	MRIP					
2015	Jan 1 - Dec 31	125,212	NA/NA/	267,799	46.8		MRIP					
2014	Jan 1 - Dec 31	226,004	WW	267,799	84.4		MRIP					
2013		160,988		267,799	60.1		MRIP					
2012		241,372		261,490	92.3		MRFSS					

	King Mackerel										
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016 - 2017		2,191,324		6,580,000	33.3		MRFSS				
2015 - 2016		1,070,319		6,580,000	16.3		MRFSS				
2014 - 2015	Mar 1 - Feb 28/29	1,303,837	ww	6,580,000	19.8		MRFSS				
2013 - 2014		1,004,441		6,580,000	15.3		MRFSS				
2012 - 2013		1,719,199		6,580,000	26.1		MRFSS				

	Mutton Snapper										
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016		608,480		768,857	79.1		MRFSS				
2015]	707,119		768,857	92.0		MRFSS				
2014	Jan 1 - Dec 31	518,320	ww	768,857	67.4		MRFSS				
2013		481,731		768,857	62.7		MRFSS				
2012		470,028		768,857	61.1		MRFSS				

	Porgies											
Year	Porgies: Jolthead, knobbed, saucereye, whitebone, scup Year Fishing Year Total Landings Units ACL ACL % Closure Date Data Source											
2016	3	140,105		106,914	131.0	9/3/16	MRIP					
2015		111,577		106,914	104.4		MRIP					
2014	Jan 1 - Dec 31	128,231	ww	106,914	119.9		MRIP					
2013		117,293		106,914	109.7		MRIP					
2012		125,641		112,485	111.7		MRFSS					

	Red Grouper										
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016		155,271		436,800	35.5		MRFSS				
2015		128,213		436,800	29.4		MRFSS				
2014	Jan 1 - Dec 31	38,756	ww	436,800	8.9		MRFSS				
2013		87,123		402,080	21.7		MRFSS				
2012		101,604		362,320	28.0		MRFSS				

	Red Porgy										
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016		145,173		164,000	88.5		MRIP				
2015		97,503		164,000	59.5		MRIP				
2014	Jan 1 - Dec 31	59,788	ww	154,500	38.7		MRIP				
2013		74,177		153,000	48.5		MRIP				
2012		101,298		197,652	51.3		MRFSS				

		Red	Snapper					
Year	Fishing Year	Units	ACL	Closure Date Data Source				
2016	Closed to Rec	creational Harvest		To view Report which projects provides 2015 landings, sea				
2015	Closed to Red	to Recreational Harvest To view Report which projects 2015 season, a provides 2015 landings click here.						
2014	Fishery Bulletin		22,576	To view Report which projects 2014 season, and provides 2013 and 2012 landings click here.				
2013	Fishery Bulletin	numbers of fish	9,585	To view Report which projects provides 2012 and 2011 land				
2012	Fishery Bulletin		9,399					
2011	Closed to Red	NA						
2010								

	Scamp											
Year	Fishing Year	Seasonal Closure	Total Landings	Units	ACL	ACL %	Closure Date	Data Source				
2016			30,961		116,369	26.6		MRIP				
2015			18,639		116,369	16.0		MRIP				
2014	Jan 1 - Dec 31	Jan 1 - Apr 30	70,157	ww	176,688	39.7		MRIP				
2013			45,813		176,688	25.9		MRIP				
2012			78,446		150,936	52.0		MRFSS				

Shallow Water Grouper										
Shallow water grouper: Red hind, rock hind, coney, graysby, yellowfin grouper, yellowmouth grouper										
Year	Fishing Year	Seasonal Closure	Total Landings	Units	ACL	ACL %	Closure Date	Data Source		
2016			28,229		48,648	58.0		MRIP		
2015			20,571		48,648	42.3		MRIP		
2014	Jan 1 - Dec 31	Jan 1 - Apr 30	11,940	ww	46,656	25.6		MRIP		
2013			26,959		46,656	57.8		MRIP		
2012]		19,552		48,329	40.5		MRFSS		

Snappers Snappers: Gray, lane, cubera snapper									
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source		
2016*		1,053,214		1,169,308	90.1		MRIP		
2015		558,583		1,172,832	47.6		MRIP		
2014	Jan 1 - Dec 31	830,700	ww	728,577	114.0		MRIP		
2013		803,450		728,577	110.3		MRIP		
2012		428,982		882,388	48.6		MRFSS		
*Dog and	mahogany snapper were part of the Snap	pers complex until J	une 22, 201	6. Landings o	f these speci	es are included in rep	orts prior to their		

	Snowy Grouper									
Year	Fishing Year	Seasonal Closure	Total Landings	Units	ACL	ACL %	Closure Date	Data Source		
2016			9,746		4,483	217.4		MRIP		
2015			1,621	number of	4,152	39.0	9/1/15	MRIP		
2014		Jan 1 - Apr 30; Sept - 1 -Dec 31	1,214		523	232.1	6/7/14	MRFSS		
2013	Jan 1 - Dec 31		2,048		523	391.6	5/31/13	MRFSS		
2012			2,065	11511	523	394.8		MRFSS		
2011			151		523	28.9		MRFSS		
2010			2,065		523	394.8		MRFSS		

Spanish Mackerel									
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source		
2016 - 2017		972,161		2,727,000	35.6		MRIP		
2015 - 2016		814,094		2,727,000	29.9		MRIP		
2014 - 2015	Mar 1 - Feb 28/29	1,019,629	ww	2,727,000	37.4		MRFSS		
2013 - 2014		1,864,168		2,560,000	72.8		MRFSS		
2012 - 2013		1,377,762		2,560,000	53.8		MRFSS		

Vermilion Snapper									
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source		
2016	Jan 1 - Dec 31	366,063	ww	406,080	90.1		MRIP		
2015		331,570		412,480	80.4		MRIP		
2014		406,070		419,840	96.7		MRIP		
2013		221,959		439,040	50.6		MRIP		
2012		194,499	gw	307,315	63.3		MRFSS		
2011		197,652		307,315	64.3		MRFSS		
2010		258,294		307,315	84.0	<u> </u>	MRFSS		

Wahoo									
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source		
2016		1,570,951		1,724,418	91.1		MRIP		
2015		1,023,882		1,724,418	59.4		MRIP		
2014	Jan 1 - Dec 31	656,871	ww	1,724,418	38.1		MRIP		
2013		378,612		1,427,638	26.5		MRFSS		
2012		1,552,475		1,427,638	108.7		MRFSS		

	Wreckfish									
Year	Fishing Year	Seasonal Closure	Total Landings	Units	ACL	ACL %	Closure Date	Data Source		
2016			0		21,185	0.0		MRIP		
2015		Jan 1 - June 30;	0	WW	21,650	0.0		MRIP		
2014	Jan 1 - Dec 31	Sep 1 -Dec 31	0		11,750	0.0		MRFSS		
2013		Sep 1 -Dec 31	0		11,750	0.0		MRFSS		
2012			964		11,750	8.2		MRFSS		

Yellowtail Snapper									
Year	Fishing Year	Total Landings	Units	ACL	ACL %	Closure Date	Data Source		
2016-2017	Aug 1 - Jul 31	681,806		1,440,990	47.3		MRFSS		
2016*		534,688	ww	1,440,990	37.1		MRFSS		
2015		791,157		1,440,990	54.9		MRFSS		
2014	Jan 1 - Dec 31	933,279		1,440,990	64.8		MRFSS		
2013		666,029		1,440,990	46.2		MRFSS		
2012		449,037		1,031,286	43.5		MRFSS		